



DMXView

Network - Analyzer

The DMXView is a lightweight and portable, DMX and network diagnostic tool for lighting protocols. It can receive and process different network protocols and the standard DMX protocol - broadcasted by lighting consoles - and visually representing. The display is arranged on a matrix of 512 fast-response and dimmable LEDs. Free adjustable DMX universes and subnets can be monitored and errors such as temporal misalignments, DMX instability ("FlickerFinder") or even the failure of individual channels are detected quickly.

Type	portable device with rechargeable batteries / battery life up to 8 h / charging time max. 3 h / warning of low battery voltage, battery discharge and reverse polarity protection / integrated charger
Inputs / Outputs	Ethernet RJ45 100Base-TX / XLR-5pin with DMX-THRU
Supported lighting protocols	<ul style="list-style-type: none"> • sACN (Architecture for Control Networks) • ArtNet (Artistic Licence) • AVAB-IPX (IEEE 802.3) • AVAB/UDP (Transtechnik) • ShowNet (Strand Lighting)
Handling	comfortable menu control, 4 pushbuttons
Diagnosis / Analysis	network / DMX512
Menu-display	blue text display with 20x 4 characters with white LED backlight
Matrix-display	512x LED - yellow
Power supply	rechargeable battery / external power supply 12V / 3A
RoHS-conform	yes
Dimensions	W x D x H 245 x 107 x 192mm
Weight	1,4 kg
Order number	5044

